Vol. 136 Nos. 1 and 2

gene

22 December 1993

W. Szybalski – Editor-in-Chief

CONTENTS

Cegłowski, P., Boitsov, A., Chai, S. and Alonso, J.C. 1–12
Analysis of the stabilization system of pSM19035-derived plasmid pBT233 in *Bacillus subtilis*

Firth, N., Ridgway, K.P., Byrne, M.E., Fink, P.D., Johnson, L., Paulsen, I.T. and Skurray, R.A. 13–25
Analysis of a transfer region from the staphylococcal conjugative plasmid pSK41

Gagnon, G., Vadeboncoeur, C. and Frenette, M. 27–34
Phosphotransferase system of *Streptococcus salivarius*: characterization of the *ptsH* gene and its product

Walter, R.B., Morton, K.A. and Stuy, J.H. 35–40
The sequence of the *Haemophilus influenzae mutB* gene indicates it encodes a DNA helicase II-like protein

De Vendittis, E., Amatruda, M.R., Masullo, M. and Bocchini, V. 41–48
Cloning and sequencing of the gene encoding thermostable elongation factor 2 in *Sulfolobus solfataricus*

Hawkins, A.R., Lamb, H.K., Moore, J.D. and Roberts, C.F. 49–54
Genesis of eukaryotic transcriptional activator and repressor proteins by splitting a multidomain anabolic enzyme

Bush, J., Franek, K., Daniel, J., Spiegelman, G.B., Weeks, G. and Cardelli, J. 55–60
Cloning and characterization of five novel *Dictyostelium discoideum rab*-related genes

Bush, J., Franek, K. and Cardelli, J. 61–68
Cloning and characterization of seven novel *Dictyostelium discoideum rac*-related genes belonging to the *rho* family of GTPases

Linss, J., Goldenberg, S., Urbina, J.A. and Amzel, L.M. 69–77
Cloning and characterization of the gene encoding ATP-dependent phospho-*enol*-pyruvate carboxykinase in *Trypanosoma cruzi*: comparison of primary and predicted secondary structure with host GTP-dependent enzyme

Van Gysel, A., Van Montagu, M. and Inzé, D. 79–85
A negatively light-regulated gene from *Arabidopsis thaliana* encodes a protein showing high similarity to blue copper-binding proteins

Zaccomer, B., Cellier, F., Boyer, J.-C., Haenni, A.-L. and Tepfer, M. 87–94
Transgenic plants that express genes including the 3′ untranslated region of the turnip yellow mosaic virus (TYMV) genome are partially protected against TYMV infection

Boroń, L.J. and Legocki, A.B. 95–102
Cloning and characterization of a nodule-enhanced glutamine synthetase-encoding gene from *Lupinus luteus*

Rodríguez, J.M., Yáñez, R.J., Rodríguez, J.F., Viñuela, E. and Salas, M.L. 103–110
The DNA polymerase-encoding gene of African swine fever virus: sequence and transcriptional analysis

Scorer, C.A., Buckholz, R.G., Clare, J.J. and Romanos, M.A. 111–119
The intracellular production and secretion of HIV-1 envelope protein in the methylotrophic yeast *Pichia pastoris*

Scherer, L.J., Harris, D.H., White, M.K., Steel, L.F., Jin, J. and Petri, W.H. 121–127
Comparative analysis of the sequence and structure of two *Drosophila melanogaster* genes encoding vitelline membrane proteins

Lycett, G.J. and Crampton, J.M. 129–136
Stable transformation of mosquito cell lines using a *hsp70::neo* fusion gene

Krysan, P.J. and Calos, M.P. 137–143
Epstein-Barr virus-based vectors that replicate in rodent cells

Graw, J., Liebstein, A., Pietrowski, D., Schmitt-John, T. and Werner, T. 145–156
Genomic sequences of murine γB- and γC-crystallin-encoding genes: promoter analysis and complete evolutionary pattern of mouse, rat and human γ-crystallins

Pirtle, I.L., Chang, Y.-N., Lee, M.M., Yi, H.-F., Wang, S.-Y., McBride, O.W. and Pirtle, R.M. 157–166
A human DNA segment encompassing leucine and methionine tRNA pseudogenes localized on chromosome 6

Wiegand, U., Corbach, S., Minn, A., Kang, J. and Müller-Hill, B. 167–175
Cloning of the cDNA encoding human brain trypsinogen and characterization of its product

Moir, D.T., Dorman, T.E., Xue, F., Shui-Fong Ma, N., Stanton, V.P., Jr., Housman, D., Bowden, D.W., Noll, W.W. and Mao, J.-i. 177–183
Rapid identification of overlapping YACs in the *MEN2* region of human chromosome 10 by hybridization with *Alu* element-mediated PCR products

Summers, C., Karst, F. and Charles, A.D. 185–192
Cloning, expression and characterisation of the cDNA encoding human hepatic squalene synthase, and its relationship to phytoene synthase

Short Communication

Hong, Y.-r. and Black, L.W. 193–198
An expression-packaging-processing vector which selects and maintains 7-kb DNA inserts in the blue T4 phage genome

Wülfing, C. and Plückthun, A. 199–203
A versatile and highly repressible *Escherichia coli* expression system based on invertible promoters: expression of a gene encoding toxic product

Twomey, D.P., Davis, R., Daly, C. and Fitzgerald, G.F. 205–209
Sequence of the gene encoding a second *Scr*FI m^5C methyltransferase of *Lactococcus lactis*

Balbás, P., Alvarado, X., Bolívar, F. and Valle, F. 211–213
Plasmid pBRINT: a vector for chromosomal insertion of cloned DNA

De Smet, K.A.L., Jamil, S. and Stoker, N.G. 215–219
Tropist3: a cosmid vector for simplified mapping of both G+C-rich and A+T-rich genomic DNA

Reinhartz, A., Alajem, S., Samson, A. and Herzberg, M. 221–226
A novel rapid hybridization technique: paper chromatography hybridization assay (PACHA)

Dong, J., Iuchi, S., Kwan, H.-S., Lu, Z. and Lin, E.C.C. 227–230
The deduced amino-acid sequence of the cloned *cpxR* gene suggests the protein is the cognate regulator for the membrane sensor, CpxA, in a two-component signal transduction system of *Escherichia coli*

Allikmets, R., Gerrard, B., Court, D. and Dean, M. 231–236
Cloning and organization of the *abc* and *mdl* genes of *Escherichia coli*: relationship to eukaryotic multidrug resistance

0378-1119(199312)136:1-2;1-#

(*continued on inside back cover*)

Thomas, C.D., Modha, J., Razzaq, T.M., Cullis, P.M. and Rivett, J.A. 237–242
Controlled high-level expression of the *lon* gene of *Escherichia coli* allows overproduction of Lon protease

Thompson, L.D. and Weber, P.C. 243–246
Construction and expression of a synthetic streptavidin-encoding gene in *Escherichia coli*

Tsujibo, H., Miyamoto, K., Tanaka, K., Kawai, M., Tainaka, K.,Imada, C., Okami, Y. and Inamori, Y. . 247–251
Cloning and sequence of an alkaline serine protease-encoding gene from the marine bacterium *Alteromonas* sp. strain O-7

Geissler, S. and Drummond, M. 253–255
A counterselectable pACYC184-based *lacZ*α-complementing plasmid vector with novel multiple cloning sites; construction of chromosomal deletions in *Klebsiella pneumoniae*

Tsuda, M. and Nakazawa, T. 257–262
A mutagenesis system utilizing a Tn*1722* derivative containing an *Escherichia coli*-specific vector plasmid: application to *Pseudomonas* species

Luo, J., Burns, G. and Sokatch, J.R. 263–266
Construction of chromosomal *recA* mutants of *Pseudomonas putida* PpG2

Maharaj, R., May, T.B., Wang, S.-K. and Chakrabarty, A.M. 267–269
Sequence of the *alg8* and *alg44* genes involved in the synthesis of alginate by *Pseudomonas aeruginosa*

Kinder, S.A., Badger, J.L., Bryant, G.O., Pepe, J.C. and Miller, V.L. 271–275
Cloning of the *Yen*I restriction endonuclease and methyltransferase from *Yersinia enterocolitica* serotype O8 and construction of a transformable R^-M^+ mutant

Schröder, K., Zuber, P., Willimsky, G., Wagner, B. and Marahiel, M.A. 277–280
Mapping of the *Bacillus subtilis cspB* gene and cloning of its homologs in thermophilic, mesophilic and psychrotrophic bacilli

Versalovic, J. and Lupski, J.R. 281–286
The *Haemophilus influenzae dnaG* sequence and conserved bacterial primase motifs

Mizrahi, V., Huberts, P., Dawes, S.S. and Dudding, L.R. 287–290
A PCR method for the sequence analysis of the *gyrA*, *polA* and *rnhA* gene segments from mycobacteria

Oberle, S.M. and Barbet, A.F. 291–294
Derivation of the complete *msp4* gene sequence of *Anaplasma marginale* without cloning

Schafer, M.P. and Dean, G.E. 295–300
Cloning and sequence analysis of an H^+-ATPase-encoding gene from the human dimorphic pathogen *Histoplasma capsulatum*

Li, Q., Jarai, G., Yaghmai, B. and Marzluf, G.A. 301–305
The *leu-1* gene of *Neurospora crassa:* nucleotide and deduced amino acid sequence comparisons

Alic, M., Akileswaran, L. and Gold, M.H. 307–311
Gene replacement in the lignin-degrading basidiomycete *Phanerochaete chrysosporium*

Nakari, T., Alatalo, E. and Penttilä, M.E. 313–318
Isolation of *Trichoderma reesei* genes highly expressed on glucose-containing media: characterization of the *tef1* gene encoding translation elongation factor 1α

Liang, A. and Heckmann, K. 319–322
The macronuclear γ-tubulin-encoding gene of *Euplotes octocarinatus* contains two introns and an in-frame TGA

Holler, T.P., Foltin, S.K., Ye, Q.-Z. and Hupe, D.J. . 323–328
HIV1 integrase expressed in *Escherichia coli* from a synthetic gene

Kubo, S., Itoh, Y., Ishikawa, N., Nagasawa, R., Mitarai, T. and Maruyama, N. 329–331
The gene encoding mouse lymphocyte antigen Ly-49: structural analysis and the 5′-flanking sequence

Nakayama, K., Suwa, Y., Mizukami, Y., Sogawa, K. and Fujii-Kuriyama, Y. 333–336
Cloning and sequencing of a novel rat cytochrome P450 2B-encoding gene

Doherty, A.J., Connolly, B.A. and Worrall, A.F. 337–340
Overproduction of the toxic protein, bovine pancreatic DNaseI, in *Escherichia coli* using a tightly controlled T7-promoter-based vector

Ikeda, K., Nagano, K. and Kawakami, K. 341–343
Possible implications of Sp1-induced bending of DNA on synergistic activation of transcription

Satokata, I., Iwai, K., Matsuda, T., Okada, Y. and Tanaka, K. 345–348
Genomic characterization of the human DNA excision repair-controlling gene *XPAC*

Mocikat, R., Harloff, C. and Kütemeier, G. 349–353
The effect of the rat immunoglobulin heavy-chain 3′ enhancer is position dependent

O'Dowd, B.F., Heiber, M., Chan, A., Heng, H.H.Q., Tsui, L.-C., Kennedy, J.L., Shi, X., Petronis, A., George, S.R. and Nguyen, T. 355–360
A human gene that shows identity with the gene encoding the angiotensin receptor is located on chromosome 11

Ertl, A.P. and Gill, G.N. 361–364
Structural features of the 5′ region of the human *erbB-2* gene

Imai, K., Nakamura, M., Yamada, M., Asano, A., Yokoyama, S., Tsuji, S. and Ginns, E.I. 365–368
A novel transcript from a pseudogene for human glucocerebrosidase in non-Gaucher disease cells

Brief Notes

Cha, J., Bishai, W. and Chandrasegaran, S. 369–370
New vectors for direct cloning of PCR products

Nyengaard, N., Vogensen, F.K. and Josephsen, J. 371–372
*Lla*AI and *Lla*BI, two type-II restriction endonucleases from *Lactococcus lactis* subsp. *cremoris* W9 and W56 recognizing, respectively, 5′-/GATC-3′ and 5′-C/TRYAG-3′

Heinrich, T., Erdmann, V.A. and Hartmann, R.K. 373–374
Sequence of the gene encoding ribosomal protein L11 from *Thermus thermophilus* HB8

Wang, S., Magoulas, C. and Hickey, D.A. 375–376
Isolation and characterization of a full-length trypsin-encoding cDNA clone from the Lepidopteran insect, *Choristoneura fumiferana*

Albala, J.S., Kalcheva, N. and Shafit-Zagardo, B. 377–378
Characterization of the transcripts encoding two isoforms of human microtubule-associated protein-2 (MAP-2)

Erratum

Beutler, B. and Brown, T. 379
Polymorphism of the mouse TNF-α locus: sequence studies of the 3′-untranslated region and first intron

Corrigendum

Kolk, D.P. and Floyd-Smith, G. 381
Induction of the murine class-II antigen-associated invariant chain by TNF-α is controlled by an NF-κB-like element

Author Index Vol. 136 (1993) 383–387